

# FERENTINO ECO PLUS RIB

ECO PLUS RIB

## FERENTINO ECO PLUS RIB



## FERENTINO ECO PLUS RIB NON MARKING



**NM**  
non marking

Well-balanced rubber compound

- Operates in low intensity applications and offers the lowest operating cost.

Deep tread design

- Provides great traction and stability.
- Increases tire lifetime

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for low intensity applications
- Excellent quality to price ratio

Steel bead reinforced heel

- Prevents rim slip

Middle layer cushion

- Middle layer provides an excellent cushioning effect

Wear indicator

- Ensures maximum tire utilization



# FERENTINO ECO PLUS RIB

## ECO PLUS RIB

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY	
						NORMAL	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH	COUNTERBALANCE			
											UP TO 25KM/H			
											LOAD WHEEL		STEERING WHEEL	
Kg	Pound	Inch	Inch	Mm	Mm	Mm	Kg	Kg						
3212431550	NORMAL	5.00-8	3.00D-8	TR	BLACK	15.66	34.45	17.72	4.53	450	115	41	1415	1090
3212431665	QUICK	5.00-8	3.00D-8	TR	BLACK	15.96	35.11	17.72	4.53	450	115	41	1415	1090
3212331795	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	15.66	34.45	17.72	4.53	450	115	41	1415	1090
3212331800	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	15.66	34.45	17.72	4.53	450	115	41	1415	1090
3212332045	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	15.96	35.11	17.72	4.53	450	115	41	1415	1090
3212331784	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	15.66	34.45	17.72	4.53	450	115	41	1415	1090
3212331786	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	15.66	34.45	17.72	4.53	450	115	41	1415	1090
3212331908	QUICK NMG	5.00-8	3.00D-8	TR	GREY	15.96	35.11	17.72	4.53	450	115	41	1415	1090
3212331986	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	15.73	34.60	17.72	4.53	450	115	41	1415	1090
3212331988	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	15.73	34.60	17.72	4.53	450	115	41	1415	1090
3212332112	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.03	35.26	17.72	4.53	450	115	41	1415	1090
3212431555	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.57	4.57	370	116	28	1040	800
3212431670	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.57	4.57	370	116	28	1040	800
3212331805	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800
3212331810	NORMAL NMW	15x4 1/2-8	3.25I-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800
3212332050	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.57	4.57	370	116	28	1040	800
3212331788	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800
3212331792	NORMAL NMG	15x4 1/2-8	3.25I-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800
3212331912	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.57	4.57	370	116	28	1040	800
3212331992	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800
3212331994	NORMAL NMY	15x4 1/2-8	3.25I-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800
3212332114	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.57	4.57	370	116	28	1040	800
3212431560	NORMAL	16x6-8	4.33R-8	TR	BLACK	15.26	33.58	16.10	5.75	409	146	34	1495	1150
3212431675	QUICK	16x6-8	4.33R-8	TR	BLACK	15.46	34.01	16.10	5.75	409	146	34	1495	1150
3212331815	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	15.26	33.58	16.10	5.75	409	146	34	1495	1150
3212332055	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	15.46	34.01	16.10	5.75	409	146	34	1495	1150
3212331794	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	15.26	33.58	16.10	5.75	409	146	34	1495	1150
3212331914	QUICK NMG	16x6-8	4.33R-8	TR	GREY	15.46	34.01	16.10	5.75	409	146	34	1495	1150
3212331996	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	15.33	33.72	16.10	5.75	409	146	34	1495	1150
3212332116	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	15.53	34.16	16.10	5.75	409	146	34	1495	1150
3212431565	NORMAL	18x7-8	4.33R-8	TR	BLACK	19.65	43.23	17.52	5.83	445	148	40	2145	1650
3212431680	QUICK	18x7-8	4.33R-8	TR	BLACK	20.85	45.87	17.52	5.83	445	148	40	2145	1650
3212331820	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	19.65	43.23	17.52	5.83	445	148	40	2145	1650
3212332060	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	20.85	45.87	17.52	5.83	445	148	40	2145	1650
3212331796	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	19.65	43.23	17.52	5.83	445	148	40	2145	1650
3212331916	QUICK NMG	18x7-8	4.33R-8	TR	GREY	20.85	45.87	17.52	5.83	445	148	40	2145	1650
3212331998	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	19.74	43.42	17.52	5.83	445	148	40	2145	1650
3212332118	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	20.94	46.06	17.52	5.83	445	148	40	2145	1650
3212431570	NORMAL	6.00-9	4.00E-09	TR	BLACK	24.94	54.86	20.43	5.35	519	136	48	1885	1450
3212431690	QUICK	6.00-9	4.00E-09	TR	BLACK	25.24	55.52	20.43	5.35	519	136	48	1885	1450
3212331830	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	24.94	54.86	20.43	5.35	519	136	48	1885	1450
3212332070	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	25.24	55.52	20.43	5.35	519	136	48	1885	1450
3212331802	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	24.94	54.86	20.43	5.35	519	136	48	1885	1450
3212331922	QUICK NMG	6.00-9	4.00E-09	TR	GREY	25.24	55.52	20.43	5.35	519	136	48	1885	1450
3212332004	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.04	55.10	20.43	5.35	519	136	48	1885	1450
3212332124	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	25.35	55.76	20.43	5.35	519	136	48	1885	1450
3212431575	NORMAL	21x8-9	6.00E-09	TR	BLACK	34.21	75.27	20.28	7.13	515	181	48	2755	2120
3212431695	QUICK	21x8-9	6.00E-09	TR	BLACK	34.51	75.93	20.28	7.13	515	181	48	2755	2120
3212331835	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	34.21	75.27	20.28	7.13	515	181	48	2755	2120
3212332075	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	34.51	75.93	20.28	7.13	515	181	48	2755	2120
3212331804	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	34.21	75.27	20.28	7.13	515	181	48	2755	2120
3212331924	QUICK NMG	21x8-9	6.00E-09	TR	GREY	34.51	75.93	20.28	7.13	515	181	48	2755	2120
3212332006	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	34.36	75.59	20.28	7.13	515	181	48	2755	2120
3212332126	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	34.66	76.26	20.28	7.13	515	181	48	2755	2120
3212431580	NORMAL	200/50-10	6.50F-10	TR	BLACK	23.54	51.79	17.72	7.60	450	193	33	2470	1900
3212431700	QUICK	200/50-10	6.50F-10	TR	BLACK	23.84	52.45	17.72	7.60	450	193	33	2470	1900
3212331840	NORMAL NMW	200/50-10	6.50F-10	TR	WHITE	23.54	51.79	17.72	7.60	450	193	33	2470	1900

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW  
 - AVAILABLE SHORTLY





ECO PLUS RIB

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						Kg	Pound	Inch	Inch	Mm	Mm		COUNTERBALANCE		
													UP TO 25KM/H	WHEEL	STEERING WHEEL
3212332080	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212331806	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212331926	QUICK NMG	200/50-10	6.50F-10	TR	GREY	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332008	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	23.64	52.01	17.72	7.60	450	193	33	2470	1900	
3212332128	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	23.94	52.67	17.72	7.60	450	193	33	2470	1900	
3212431585	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212431705	QUICK	6.50-10	5.00F-10	TR	BLACK	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212331845	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331850	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212332085	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212331808	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331812	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331928	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212332012	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800	
3212332014	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800	
3212332132	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.86	78.90	22.28	6.02	566	153	52	2340	1800	
3212431590	NORMAL	23x9-10	6.50F-10	TR	BLACK	46.38	102.04	22.56	7.87	573	200	53	3445	2650	
3212431710	QUICK	23x9-10	6.50F-10	TR	BLACK	46.98	103.36	22.56	7.87	573	200	53	3445	2650	
3212331855	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	46.38	102.04	22.56	7.87	573	200	53	3445	2650	
3212332090	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	46.98	103.36	22.56	7.87	573	200	53	3445	2650	
3212331814	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	46.38	102.04	22.56	7.87	573	200	53	3445	2650	
3212331932	QUICK NMG	23x9-10	6.50F-10	TR	GREY	46.98	103.36	22.56	7.87	573	200	53	3445	2650	
3212332016	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	46.58	102.48	22.56	7.87	573	200	53	3445	2650	
3212332134	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	47.18	103.80	22.56	7.87	573	200	53	3445	2650	
3212431595	NORMAL	23x10-12	8.00G-12	TR	BLACK	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212431715	QUICK	23x10-12	8.00G-12	TR	BLACK	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212331870	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212332100	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212331822	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212331936	QUICK NMG	23x10-12	8.00G-12	TR	GREY	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212332024	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	48.53	106.76	22.72	9.21	577	234	45	3770	2900	
3212332138	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	49.12	108.07	22.72	9.21	577	234	45	3770	2900	
3212431600	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212431720	QUICK	27x10-12	8.00G-12	TR	BLACK	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212331875	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212332105	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212331824	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212331938	QUICK NMG	27x10-12	8.00G-12	TR	GREY	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212332026	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.38	168.04	26.14	9.76	664	248	60	3900	3000	
3212332142	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.18	169.80	26.14	9.76	664	248	60	3900	3000	
3212431605	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212431725	QUICK	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212331880	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212332110	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212331826	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212331942	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332028	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332144	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.39	6.50	645	165	56	2920	2240	
3212431610	NORMAL	28x9-15	7.00-15	TR	BLACK	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212431730	QUICK	28x9-15	7.00-15	TR	BLACK	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212331895	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331900	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212332120	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212331834	NORMAL NMG	28x9-15	6.50-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331836	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331946	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212332036	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3900	3000	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW  
 - AVAILABLE SHORTLY



# FERENTINO ECO PLUS RIB

## ECO PLUS RIB

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE	UP TO 25KM/H	
						Kg	Pound	Inch	Inch	Mm	Mm			LOAD WHEEL	STEERING WHEEL
3212332038	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3900	3000	
3212332148	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.99	26.81	8.31	681	211	49	3900	3000	
3212431620	NORMAL	355/65-15	9.75-15	TR	BLACK	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212431740	QUICK	355/65-15	9.75-15	TR	BLACK	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212331910	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212332130	QUICK NMW	355/65-15	9.75-15	TR	WHITE	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212331842	NORMAL NMG	355/65-15	9.75-15	TR	GREY	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212331952	QUICK NMG	355/65-15	9.75-15	TR	GREY	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212332044	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	133.30	293.25	31.93	12.20	811	310	70	7800	6000	
3212332154	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	133.80	294.35	31.93	12.20	811	310	70	7800	6000	
3212431625	NORMAL	250-15	7.00-15	TR	BLACK	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212431630	NORMAL	250-15	7.50-15	TR	BLACK	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212431745	QUICK	250-15	7.00-15	TR	BLACK	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331915	NORMAL NMW	250-15	7.00-15	TR	WHITE	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212331920	NORMAL NMW	250-15	7.50-15	TR	WHITE	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332135	QUICK NMW	250-15	7.00-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332140	QUICK NMW	250-15	7.50-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331844	NORMAL NMG	250-15	7.00-15	TR	GREY	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212331846	NORMAL NMG	250-15	7.50-15	TR	GREY	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212331954	QUICK NMG	250-15	7.00-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331956	QUICK NMG	250-15	7.50-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332046	NORMAL NMY	250-15	7.00-15	TR	YELLOW	66.90	147.17	27.83	8.35	707	212	53	4745	3650	
3212332048	NORMAL NMY	250-15	7.50-15	TR	YELLOW	66.80	146.96	27.83	8.35	707	212	53	4745	3650	
3212332156	QUICK NMY	250-15	7.00-15	TR	YELLOW	67.90	149.37	27.83	8.35	707	212	53	4745	3650	
3212332158	QUICK NMY	250-15	7.50-15	TR	YELLOW	67.90	149.37	27.83	8.35	707	212	53	4745	3650	
3212431635	NORMAL	300-15	8.00-15	TR	BLACK	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212431750	QUICK	300-15	8.00-15	TR	BLACK	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212331925	NORMAL NMW	300-15	8.00-15	TR	WHITE	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332145	QUICK NMW	300-15	8.00-15	TR	WHITE	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212331848	NORMAL NMG	300-15	8.00-15	TR	GREY	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212331958	QUICK NMG	300-15	8.00-15	TR	GREY	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332052	NORMAL NMY	300-15	8.00-15	TR	YELLOW	108.33	238.34	31.81	9.84	808	250	70	5850	4500	
3212332162	QUICK NMY	300-15	8.00-15	TR	YELLOW	109.33	240.53	31.81	9.84	808	250	70	5850	4500	
3212431640	NORMAL	7.00-15	5.50-15	TR	BLACK	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212431755	QUICK	7.00-15	5.50-15	TR	BLACK	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212331945	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331950	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212332150	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212331858	NORMAL NMG	7.00-15	5.50-15	TR	GREY	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331862	NORMAL NMG	7.00-15	6.00-15	TR	GREY	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331962	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212332062	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	57.71	126.97	28.39	7.28	721	185	55	3545	2725	
3212332064	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	57.71	126.97	28.39	7.28	721	185	55	3545	2725	
3212332164	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.71	129.16	28.39	7.28	721	185	55	3545	2725	
3212431645	NORMAL	7.50-15	6.50-15	TR	BLACK	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212431760	QUICK	7.50-15	6.50-15	TR	BLACK	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212331965	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332160	QUICK NMW	7.50-15	6.50-15	TR	WHITE	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212331868	NORMAL NMG	7.50-15	6.50-15	TR	GREY	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212331966	QUICK NMG	7.50-15	6.50-15	TR	GREY	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212332072	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	71.89	158.16	29.25	7.99	743	203	59	3900	3000	
3212332168	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	72.99	160.57	29.25	7.99	743	203	59	3900	3000	
3212431650	NORMAL	8.25-15	6.50-15	TR	BLACK	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212431765	QUICK	8.25-15	6.50-15	TR	BLACK	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212331975	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332170	QUICK NMW	8.25-15	6.50-15	TR	WHITE	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212331874	NORMAL NMG	8.25-15	6.50-15	TR	GREY	89.48	196.85	31.65	7.99	804	203	69	4750	3650	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW  
 - AVAILABLE SHORTLY





## FERENTINO ECO PLUS RIB

### ECO PLUS RIB

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY COUNTERBALANCE		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
													Mm	Kg	Kg
3212331972	QUICK NMG	8.25-15	6.50-15	TR	GREY	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332076	NORMAL NMY	8.25-15	6.50-15	TR	YELLOW	89.86	197.70	31.65	7.99	804	203	69	4750	3650	
3212332174	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	90.86	199.89	31.65	7.99	804	203	69	4750	3650	
3212431655	NORMAL	10.00-20	7.50-20	TR	BLACK	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332000	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212331886	NORMAL NMG	10.00-20	7.50-20	TR	GREY	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332088	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	168.87	371.51	39.76	10.00	1010	254	82	6000	5000	
3212431660	NORMAL	10.00-20	8.00-20	TR	BLACK	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332005	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212331888	NORMAL NMG	10.00-20	8.00-20	TR	GREY	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332092	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	169.86	373.70	39.76	10.00	1010	254	82	6000	5000	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW  
 - AVAILABLE SHORTLY