

FERENTINO ELTOR EVO FT

ELTOR EVO FT

FERENTINO ELTOR EVO FT



FERENTINO ELTOR EVO FT NON MARKING



Continuous center lug

- Increased directionality
- Greater stability and smooth running
- Excellent comfort in every situation

Deeper tread

- Better traction

Wide tread profile

- Increases lateral load stability
- Safer in high-lift and cornering situations

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for high intensity applications

Wear indicator

- Ensures maximum tire utilization

Low heat resistance rubber compounds

- Withstand high intensity usage and offer low energy consumption.



FERENTINO ELTOR EVO FT

ELTOR EVO FT

CODE	PRODUCT NAME (FERENTINO ELTOR EVO FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
						Mm	Mm	Mm	Mm						
3212410001	NORMAL	5.00-8	3.00D-8	TR	BLACK	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212410190	QUICK	5.00-8	3.00D-8	TR	BLACK	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310360	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310365	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310610	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310344	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310346	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310468	QUICK NMG	5.00-8	3.00D-8	TR	GREY	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310546	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	16.73	36.81	17.87	4.65	454	118	39	1415	1090	
3212310548	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	16.73	36.81	17.87	4.65	454	118	39	1415	1090	
3212310672	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.93	37.25	17.87	4.65	454	118	39	1415	1090	
3212410005	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212410195	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310370	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310375	NORMAL NMW	15x4 1/2-8	3.25I-8	TR	WHITE	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310615	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310348	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310352	NORMAL NMG	15x4 1/2-8	3.25I-8	TR	GREY	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310472	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310552	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.02	22.04	14.92	4.45	379	113	27	1040	800	
3212310554	NORMAL NMY	15x4 1/2-8	3.25I-8	TR	YELLOW	10.02	22.04	14.92	4.45	379	113	27	1040	800	
3212310674	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.92	4.45	379	113	27	1040	800	
3212410010	NORMAL	16x6-8	4.33R-8	TR	BLACK	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212410200	QUICK	16x6-8	4.33R-8	TR	BLACK	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310380	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212310620	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310354	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212310474	QUICK NMG	16x6-8	4.33R-8	TR	GREY	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310556	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	16.33	36.92	16.18	5.98	411	152	33	1495	1150	
3212310676	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	16.93	37.25	16.18	5.98	411	152	33	1495	1150	
3212410015	NORMAL	18x7-8	4.33R-8	TR	BLACK	21.61	47.53	17.83	5.98	453	152	44	2145	1650	
3212410205	QUICK	18x7-8	4.33R-8	TR	BLACK	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310385	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	21.61	47.53	17.83	5.98	453	152	44	2145	1650	
3212310625	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310356	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	21.61	47.53	17.83	5.98	453	152	44	2145	1650	
3212310476	QUICK NMG	18x7-8	4.33R-8	TR	GREY	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310558	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	21.70	47.74	17.83	5.98	453	152	44	2145	1650	
3212310678	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	21.84	48.05	17.83	5.98	453	152	44	2145	1650	
3212410210	QUICK	140/55-9	4.00E-09	TR	BLACK	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310630	QUICK NMW	140/55-9	4.00E-09	TR	WHITE	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310478	QUICK NMG	140/55-9	4.00E-09	TR	GREY	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310682	QUICK NMY	140/55-9	4.00E-09	TR	YELLOW	10.72	23.58	14.84	5.12	377	130	28	1170	900	
3212410020	NORMAL	6.00-9	4.00E-09	TR	BLACK	25.84	56.84	20.59	5.31	523	135	52	1885	1450	
3212410215	QUICK	6.00-9	4E.00-09	TR	BLACK	26.33	57.93	20.59	5.31	523	135	52	1885	1450	
3212310395	NORMAL NMW	6.00-9	4.00E-9	TR	WHITE	25.84	56.84	20.59	5.31	523	135	52	1885	1450	
3212310635	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	26.33	57.93	20.59	5.31	523	135	52	1885	1450	
3212310362	NORMAL NMG	6.00-9	4.00E-9	TR	GREY	25.84	56.84	20.59	5.31	523	135	52	1885	1450	
3212310482	QUICK NMG	6.00-9	4.00E-09	TR	GREY	26.33	57.93	20.59	5.31	523	135	52	1885	1450	
3212310564	NORMAL NMY	6.00-9	4.00E-9	TR	YELLOW	25.95	57.08	20.59	5.31	523	135	52	1885	1450	
3212310684	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	26.45	58.18	20.59	5.31	523	135	52	1885	1450	
3212410025	NORMAL	21x8-9	6.00E-09	TR	BLACK	35.11	77.25	20.39	7.20	518	183	49	2755	2120	
3212410220	QUICK	21x8-9	6.00-09	TR	BLACK	35.51	78.12	20.39	7.20	518	183	49	2755	2120	
3212310400	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	35.11	77.25	20.39	7.20	518	183	49	2755	2120	
3212310640	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	35.51	78.12	20.39	7.20	518	183	49	2755	2120	
3212310364	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	35.11	77.25	20.39	7.20	518	183	49	2755	2120	
3212310484	QUICK NMG	21x8-9	6.00E-09	TR	GREY	35.51	78.12	20.39	7.20	518	183	49	2755	2120	
3212310566	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	35.26	77.58	20.39	7.20	518	183	49	2755	2120	

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW





FERENTINO ELTOR EVO FT

ELTOR EVO FT

CODE	PRODUCT NAME (FERENTINO ELTOR EVO FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212310686	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	35.66	78.46	20.39	7.20	518	183	49	2755	2120	
3212410225	QUICK	180/60-10	5.00F-10	TR	BLACK	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318398	QUICK NMW	180/60-10	5.00F-10	TR	WHITE	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318402	QUICK NMG	180/60-10	5.00F-10	TR	GREY	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318404	QUICK NMY	180/60-10	5.00F-10	TR	YELLOW	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212410030	NORMAL	200/50-10	6.50F-10	TR	BLACK	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212410230	QUICK	200/50-10	6.50F-10	TR	BLACK	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310405	NORMAL NMW	200/50-10	6.50F-10	TR	WHITE	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212310645	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310366	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212310486	QUICK NMG	200/50-10	6.50F-10	TR	GREY	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310568	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	24.94	54.88	17.99	7.60	457	193	34	2470	1900	
3212310688	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	25.45	55.98	17.99	7.60	457	193	34	2470	1900	
3212410035	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212410235	QUICK	6.50-10	5.00F-10	TR	BLACK	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310410	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310415	NORMAL NMW	6.50-10	5.50F-10	TR	WHITE	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310650	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310368	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310372	NORMAL NMG	6.50-10	5.50F-10	TR	GREY	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310488	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310572	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	34.86	76.70	22.36	6.18	568	157	55	2340	1800	
3212310574	NORMAL NMY	6.50-10	5.50F-10	TR	YELLOW	34.86	76.70	22.36	6.18	568	157	55	2340	1800	
3212310692	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.36	77.80	22.36	6.18	568	157	55	2340	1800	
3212410040	NORMAL	23x9-10	6.50F-10	TR	BLACK	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212410240	QUICK	23x9-10	6.50F-10	TR	BLACK	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310420	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212310655	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310374	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212310492	QUICK NMG	23x9-10	6.50F-10	TR	GREY	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310576	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	48.99	107.77	22.99	7.83	584	199	52	3445	2650	
3212310694	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	49.99	109.98	22.99	7.83	584	199	52	3445	2650	
3212410045	NORMAL	23x10-12	8.00G-12	TR	BLACK	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212410245	QUICK	23x10-12	8.00G-12	TR	BLACK	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310435	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212310665	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310382	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212310496	QUICK NMG	23x10-12	8.00G-12	TR	GREY	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310584	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	52.92	116.42	23.07	9.21	586	234	45	3770	2900	
3212310698	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	53.32	117.30	23.07	9.21	586	234	45	3770	2900	
3212410050	NORMAL	23x12-12	10.00G-12	TR	BLACK	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212410250	QUICK	23x12-12	10.00G-12	TR	BLACK	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212318384	NORMAL NMW	23x12-12	10.00G-12	TR	WHITE	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212318386	NORMAL NMG	23x12-12	10.00G-12	TR	GREY	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212318388	NORMAL NMY	23x12-12	10.00G-12	TR	YELLOW	64.40	141.68	22.99	11.06	584	281	43	4485	3450	
3212318392	NORMAL NMW	23x12-12	10.00G-12	TR	WHITE	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212318394	NORMAL NMG	23x12-12	10.00G-12	TR	GREY	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212318396	NORMAL NMY	23x12-12	10.00G-12	TR	YELLOW	65.60	144.32	22.99	11.06	584	281	43	4485	3450	
3212410055	NORMAL	27x10-12	8.00G-12	TR	BLACK	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212410255	QUICK	27x10-12	8.00G-12	TR	BLACK	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310440	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212310670	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310384	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212310498	QUICK NMG	27x10-12	8.00G-12	TR	GREY	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310586	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	79.08	173.23	26.77	9.53	680	242	63	3900	3000	
3212310702	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	79.88	174.98	26.77	9.53	680	242	63	3900	3000	
3212310435	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	78.74	173.23	26.77	9.53	680	242	63	3900	3000	



FERENTINO ELTOR EVO FT

ELTOR EVO FT

CODE	PRODUCT NAME (FERENTINO ELTOR EVO FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY	
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H	COUNTERBALANCE
						Kg	Pound	Inch	Inch	Mm	Mm			
3212310665	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	79.54	174.98	26.77	9.53	680	242	63	3900	3000
3212310382	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	78.74	173.23	26.77	9.53	680	242	63	3900	3000
3212310496	QUICK NMG	23x10-12	8.00G-12	TR	GREY	79.54	174.98	26.77	9.53	680	242	63	3900	3000
3212310584	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	79.08	173.97	26.77	9.53	680	242	63	3900	3000
3212310698	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	79.88	175.73	26.77	9.53	680	242	63	3900	3000
3212410060	NORMAL	7.00-12	5.00S-12	TR	BLACK	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212410260	QUICK	7.00-12	5.00S-12	TR	BLACK	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310445	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212310675	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310386	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212310502	QUICK NMG	7.00-12	5.00S-12	TR	GREY	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310588	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	47.53	104.56	25.71	6.54	653	166	60	2920	2240
3212310704	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	48.53	106.76	25.71	6.54	653	166	60	2920	2240
3212410065	NORMAL	28x9-15	7.00-15	TR	BLACK	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212410265	QUICK	28x9-15	7.00-15	TR	BLACK	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310460	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310465	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310685	QUICK NMW	28x9-15	7.00-15	TR	WHITE	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310394	NORMAL NMG	28x9-15	6.50-15	TR	GREY	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310395	NORMAL NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310506	QUICK NMG	28x9-15	7.00-15	TR	GREY	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310596	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	60.91	133.99	27.09	8.43	688	214	53	3900	3000
3212310598	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.99	27.09	8.43	688	214	53	3900	3000
3212310708	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	61.91	136.19	27.09	8.43	688	214	53	3900	3000
3212410070	NORMAL	355/45-15	9.75-15	TR	BLACK	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212410270	QUICK	355/45-15	9.75-15	TR	BLACK	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318324	NORMAL	355/45-15	9.75-15	TR	WHITE	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212318326	NORMAL	355/45-15	9.75-15	TR	GREY	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212318328	NORMAL	355/45-15	9.75-15	TR	YELLOW	84.37	185.62	27.17	11.26	690	286	53	5690	4375
3212318332	QUICK	355/45-15	9.75-15	TR	WHITE	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318334	QUICK	355/45-15	9.75-15	TR	GREY	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318336	QUICK	355/45-15	9.75-15	TR	YELLOW	85.27	187.59	27.17	11.26	690	286	53	5690	4375
3212410075	NORMAL	355/50-15	9.75-15	TR	BLACK	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212410275	QUICK	355/50-15	9.75-15	TR	BLACK	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310470	NORMAL NMW	355/50-15	9.75-15	TR	WHITE	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212310690	QUICK NMW	355/50-15	9.75-15	TR	WHITE	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310398	NORMAL NMG	355/50-15	9.75-15	TR	GREY	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212310508	QUICK NMG	355/50-15	9.75-15	TR	GREY	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310602	NORMAL NMY	355/50-15	9.75-15	TR	YELLOW	95.05	209.12	28.03	11.61	712	295	52	5690	4375
3212310712	QUICK NMY	355/50-15	9.75-15	TR	YELLOW	96.05	211.32	28.03	11.61	712	295	52	5690	4375
3212410080	NORMAL	355/65-15	9.75-15	TR	BLACK	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212410280	QUICK	355/65-15	9.75-15	TR	BLACK	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310475	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212310695	QUICK NMW	355/65-15	9.75-15	TR	WHITE	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310402	NORMAL NMG	355/65-15	9.75-15	TR	GREY	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212310512	QUICK NMG	355/65-15	9.75-15	TR	GREY	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310604	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	141.38	311.04	32.24	12.28	819	312	75	7800	6000
3212310714	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	142.18	312.80	32.24	12.28	819	312	75	7800	6000
3212410085	NORMAL	250-15	7.00-15	TR	BLACK	71.98	158.36	28.31	8.70	719	221	60	4745	3650
3212410090	NORMAL	250-15	7.50-15	TR	BLACK	73.37	161.42	28.31	8.86	719	225	62	4745	3650
3212410285	QUICK	250-15	7.00-15	TR	BLACK	72.08	158.58	28.31	8.70	719	221	60	4745	3650
3212410290	QUICK	250-15	7.50-15	TR	BLACK	72.38	159.23	28.31	8.86	719	225	62	4745	3650
3212310480	NORMAL NMW	250-15	7.00-15	TR	WHITE	71.98	158.36	28.31	8.70	719	221	60	4745	3650
3212310485	NORMAL NMW	250-15	7.50-15	TR	WHITE	73.37	161.42	28.31	8.86	719	225	62	4745	3650
3212310700	QUICK NMW	250-15	7.00-15	TR	WHITE	72.08	158.58	28.31	8.70	719	221	60	4745	3650
3212310705	QUICK NMW	250-15	7.50-15	TR	WHITE	72.38	159.23	28.31	8.86	719	225	62	4745	3650
3212310404	NORMAL NMG	250-15	7.00-15	TR	GREY	71.98	158.36	28.31	8.70	719	221	60	4745	3650

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW





FERENTINO ELTOR EVO FT

ELTOR EVO FT

CODE	PRODUCT NAME (FERENTINO ELTOR EVO FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY								
						NORMAL	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH	COUNTERBALANCE		UP TO 25KM/H								
														Kg	Pound	Inch	Inch	Mm	Mm	Kg	Kg
3212310406	NORMAL NMG	250-15	7.50-15	TR	GREY	73.37	161.42	28.31	8.86	719	225	62	4745	3650							
3212310514	QUICK NMG	250-15	7.00-15	TR	GREY	72.08	158.58	28.31	8.70	719	221	60	4745	3650							
3212310516	QUICK NMG	250-15	7.50-15	TR	GREY	72.38	159.23	28.31	8.86	719	225	62	4745	3650							
3212310606	NORMAL NMY	250-15	7.00-15	TR	YELLOW	72.29	159.04	28.31	8.70	719	221	60	4745	3650							
3212310608	NORMAL NMY	250-15	7.50-15	TR	YELLOW	73.69	162.11	28.31	8.86	719	225	62	4745	3650							
3212310716	QUICK NMY	250-15	7.00-15	TR	YELLOW	72.39	159.26	28.31	8.70	719	221	60	4745	3650							
3212310718	QUICK NMY	250-15	7.50-15	TR	YELLOW	72.69	159.92	28.31	8.86	719	225	62	4745	3650							
3212410095	NORMAL	300-15	8.00-15	TR	BLACK	113.34	249.35	32.09	10.12	815	257	75	5850	4500							
3212410295	QUICK	300-15	8.00-15	TR	BLACK	114.13	251.10	32.09	10.12	815	257	75	5850	4500							
3212310490	NORMAL NMW	300-15	8.00-15	TR	WHITE	113.34	249.35	32.09	10.12	815	257	75	5850	4500							
3212310710	QUICK NMW	300-15	8.00-15	TR	WHITE	114.13	251.10	32.09	10.12	815	257	75	5850	4500							
3212310408	NORMAL NMG	300-15	8.00-15	TR	GREY	113.34	249.35	32.09	10.12	815	257	75	5850	4500							
3212310518	QUICK NMG	300-15	8.00-15	TR	GREY	114.13	251.10	32.09	10.12	815	257	75	5850	4500							
3212310612	NORMAL NMY	300-15	8.00-15	TR	YELLOW	113.83	250.42	32.09	10.12	815	257	75	5850	4500							
3212310722	QUICK NMY	300-15	8.00-15	TR	YELLOW	114.62	252.17	32.09	10.12	815	257	75	5850	4500							
3212410100	NORMAL	7.00-15	5.50-15	TR	BLACK	58.26	128.17	28.70	7.05	729	179	60	3545	2725							
3212410105	NORMAL	7.00-15	6.00-15	TR	BLACK	58.46	128.61	28.70	7.05	729	179	60	3545	2725							
3212410300	QUICK	7.00-15	5.50-15	TR	BLACK	58.56	128.83	28.70	7.05	729	179	60	3545	2725							
3212310610	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	58.26	128.17	28.70	7.05	729	179	60	3545	2725							
3212310515	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	58.46	128.61	28.70	7.05	729	179	60	3545	2725							
3212310715	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.56	128.83	28.70	7.05	729	179	60	3545	2725							
3212310418	NORMAL NMG	7.00-15	5.50-15	TR	GREY	58.26	128.17	28.70	7.05	729	179	60	3545	2725							
3212310422	NORMAL NMG	7.00-15	6.00-15	TR	GREY	58.46	128.61	28.70	7.05	729	179	60	3545	2725							
3212310522	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.56	128.83	28.70	7.05	729	179	60	3545	2725							
3212310622	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	58.51	128.72	28.70	7.05	729	179	60	3545	2725							
3212310624	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	58.71	129.16	28.70	7.05	729	179	60	3545	2725							
3212310724	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.81	129.38	28.70	7.05	729	179	60	3545	2725							
3212410110	NORMAL	7.50-15	5.50-15	TR	BLACK	68.20	150.05	29.61	7.83	752	199	62	3900	3000							
3212410115	NORMAL	7.50-15	6.00-15	TR	BLACK	68.80	151.36	29.61	7.83	752	199	62	3900	3000							
3212410120	NORMAL	7.50-15	6.50-15	TR	BLACK	69.59	153.11	29.61	7.83	752	199	62	3900	3000							
3212410305	QUICK	7.50-15	6.50-15	TR	BLACK	70.19	154.42	29.61	7.83	752	199	62	3900	3000							
3212310520	NORMAL NMW	7.50-15	5.50-15	TR	WHITE	68.20	150.05	29.61	7.83	752	199	62	3900	3000							
3212310525	NORMAL NMW	7.50-15	6.00-15	TR	WHITE	68.80	151.36	29.61	7.83	752	199	62	3900	3000							
3212310530	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	69.59	153.11	29.61	7.83	752	199	62	3900	3000							
3212310720	QUICK NMW	7.50-15	5.50-15	TR	WHITE	68.20	150.05	29.61	7.83	752	199	62	3900	3000							
3212310725	QUICK NMW	7.50-15	6.50-15	TR	WHITE	70.19	154.42	29.61	7.83	752	199	62	3900	3000							
3212310424	NORMAL NMG	7.50-15	5.50-15	TR	GREY	68.20	150.05	29.61	7.83	752	199	62	3900	3000							
3212310426	NORMAL NMG	7.50-15	6.00-15	TR	GREY	68.80	151.36	29.61	7.83	752	199	62	3900	3000							
3212310428	NORMAL NMG	7.50-15	6.50-15	TR	GREY	69.59	153.11	29.61	7.83	752	199	62	3900	3000							
3212310524	QUICK NMG	7.50-15	5.50-15	TR	GREY	68.20	150.05	29.61	7.83	752	199	62	3900	3000							
3212310526	QUICK NMG	7.50-15	6.50-15	TR	GREY	70.19	154.42	29.61	7.83	752	199	62	3900	3000							
3212310626	NORMAL NMY	7.50-15	5.50-15	TR	YELLOW	68.50	150.69	29.61	7.83	752	199	62	3900	3000							
3212310628	NORMAL NMY	7.50-15	6.00-15	TR	YELLOW	69.09	152.01	29.61	7.83	752	199	62	3900	3000							
3212310632	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	69.89	153.76	29.61	7.83	752	199	62	3900	3000							
3212310726	QUICK NMY	7.50-15	5.50-15	TR	YELLOW	68.50	150.69	29.61	7.83	752	199	62	3900	3000							
3212310728	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	70.49	155.08	29.61	7.83	752	199	62	3900	3000							
3212410125	NORMAL	8.25-15	5.50-15	TR	BLACK	90.07	198.16	32.01	8.35	813	212	72	4615	3550							
3212410130	NORMAL	8.25-15	6.50-15	TR	BLACK	91.47	201.23	32.01	8.35	813	212	72	4750	3650							
3212410310	QUICK	8.25-15	5.50-15	TR	BLACK	90.87	199.91	32.01	8.35	813	212	72	4615	3550							
3212410315	QUICK	8.25-15	6.50-15	TR	BLACK	92.26	202.98	32.01	8.35	813	212	72	4750	3650							
3212310535	NORMAL NMW	8.25-15	5.50-15	TR	WHITE	90.07	198.16	32.01	8.35	813	212	72	4615	3550							
3212310540	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	91.47	201.23	32.01	8.35	813	212	72	4750	3650							
3212310730	QUICK NMW	8.25-15	5.50-15	TR	WHITE	90.87	199.91	32.01	8.35	813	212	72	4615	3550							
3212310735	QUICK NMW	8.25-15	6.50-15	TR	WHITE	92.26	202.98	32.01	8.35	813	212	72	4750	3650							
3212310432	NORMAL NMG	8.25-15	5.50-15	TR	GREY	90.07	198.16	32.01	8.35	813	212	72	4615	3550							
3212310434	NORMAL NMG	8.25-15	6.50-15	TR	GREY	91.47	201.23	32.01	8.35	813	212	72	4750	3650							
3212310528	QUICK NMG	8.25-15	5.50-15	TR	GREY	90.87	199.91	32.01	8.35	813	212	72	4615	3550							



FERENTINO ELTOR EVO FT

ELTOR EVO FT

CODE	PRODUCT NAME (FERENTINO ELTOR EVO FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212310532	QUICK NMW	8.25-15	6.50-15	TR	GREY	92.26	202.98	32.01	8.35	813	212	72	4750	3650	
3212310634	NORMAL NMG	8.25-15	6.50-15	TR	YELLOW	90.46	199.02	32.01	8.35	813	212	72	4615	3650	
3212310636	QUICK NMG	8.25-15	6.50-15	TR	YELLOW	91.86	202.09	32.01	8.35	813	212	72	4750	3650	
3212310732	NORMAL NMY	8.25-15	6.50-15	TR	YELLOW	91.26	200.77	32.01	8.35	813	212	72	4615	3650	
3212310734	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	92.66	203.85	32.01	8.35	813	212	72	4750	3650	
3212410135	NORMAL	400/60-15	11.00 - 15	TR	BLACK	154.40	339.68	32.28	12.72	820	323	68	8970	6900	
3212410320	QUICK	400/60-15	11.00 - 15	TR	BLACK	155.10	341.21	32.28	12.72	820	323	68	8970	6900	
3212318338	NORMAL NMW	400/60-15	11.00 - 15	TR	WHITE	154.40	339.68	32.28	12.72	820	323	68	8970	6900	
3212318342	QUICK NMW	400/60-15	11.00 - 15	TR	GREY	154.40	339.68	32.28	12.72	820	323	68	8970	6900	
3212318344	NORMAL NMG	400/60-15	11.00 - 15	TR	YELLOW	155.06	341.14	32.28	12.72	820	323	68	8970	6900	
3212318346	QUICK NMG	400/60-15	11.00 - 15	TR	WHITE	155.10	341.21	32.28	12.72	820	323	68	8970	6900	
3212318348	NORMAL NMY	400/60-15	11.00 - 15	TR	GREY	155.10	341.21	32.28	12.72	820	323	68	8970	6900	
3212318352	QUICK NMY	400/60-15	11.00 - 15	TR	YELLOW	155.76	342.68	32.28	12.72	820	323	68	8970	6900	
3212410140	NORMAL	355/50-20	10.00-20	TR	BLACK	121.66	267.65	32.72	12.28	831	312	48	8970	6900	
3212410325	QUICK	355/50-20	10.00-20	TR	BLACK	122.95	270.48	32.72	12.28	831	312	48	8970	6900	
3212318354	NORMAL NMW	355/50-20	10.00-20	TR	WHITE	121.66	267.65	32.72	12.28	831	312	48	8970	6900	
3212318356	NORMAL NMW	355/50-20	10.00-20	TR	GREY	121.66	267.65	32.72	12.28	831	312	48	8970	6900	
3212318358	QUICK NMW	355/50-20	10.00-20	TR	YELLOW	122.18	268.80	32.72	12.28	831	312	48	8970	6900	
3212318362	NORMAL NMG	355/50-20	10.00-20	TR	WHITE	122.95	270.48	32.72	12.28	831	312	48	8970	6900	
3212318364	NORMAL NMG	355/50-20	10.00-20	TR	GREY	122.95	270.48	32.72	12.28	831	312	48	8970	6900	
3212318366	QUICK NMG	355/50-20	10.00-20	TR	YELLOW	123.47	271.64	32.72	12.28	831	312	48	8970	6900	
3212410145	NORMAL NMY	9.00-20	7.00-20	TR	BLACK	147.38	324.23	39.25	9.02	997	229	76	5400	4500	
3212310550	NORMAL NMY	9.00-20	7.00-20	TR	WHITE	147.38	324.23	39.25	9.02	997	229	76	5400	4500	
3212310438	QUICK NMY	9.00-20	7.00-20	TR	GREY	147.38	324.23	39.25	9.02	997	229	76	5400	4500	
3212310642	NORMAL	9.00-20	7.00-20	TR	YELLOW	148.01	325.62	39.25	9.02	997	229	76	5400	4500	
3212410150	QUICK	10.00-20	7.00-20	TR	BLACK	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212410155	NORMAL	10.00-20	7.00-20	TR	BLACK	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212410160	NORMAL	10.00-20	8.00-20	TR	BLACK	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212410330	NORMAL	10.00-20	7.50-20	TR	BLACK	179.03	393.86	40.75	10.04	1035	255	82	6000	5000	
3212310555	QUICK	10.00-20	6.50-20	TR	WHITE	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310560	QUICK	10.00-20	7.00-20	TR	WHITE	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310565	QUICK	10.00-20	7.50-20	TR	WHITE	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212310570	NORMAL	10.00-20	8.00-20	TR	WHITE	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212310442	QUICK	10.00-20	6.50-20	TR	GREY	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310444	NORMAL NMW	10.00-20	7.00-20	TR	GREY	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310446	QUICK NMW	10.00-20	7.50-20	TR	GREY	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212310448	NORMAL NMG	10.00-20	8.00-20	TR	GREY	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212310644	QUICK NMG	10.00-20	6.50-20	TR	YELLOW	176.82	389.00	40.75	10.04	1035	255	82	6000	5000	
3212310646	NORMAL NMY	10.00-20	7.00-20	TR	YELLOW	176.82	389.00	40.75	10.04	1035	255	82	6000	5000	
3212310648	QUICK NMY	10.00-20	7.50-20	TR	YELLOW	179.30	394.46	40.75	10.04	1035	255	82	6000	5000	
3212310652	NORMAL	10.00-20	8.00-20	TR	YELLOW	180.79	397.74	40.75	10.04	1035	255	82	6000	5000	
3212410165	QUICK	12.00-20	8.00-20	TR	BLACK	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212410170	NORMAL NMW	12.00-20	8.50-20	TR	BLACK	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212410175	QUICK NMW	12.00-20	10.00-20	TR	BLACK	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318406	NORMAL NMG	12.00-20	10.00-20	TR	WHITE	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318408	QUICK NMG	12.00-20	10.00-20	TR	GREY	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318412	NORMAL NMY	12.00-20	10.00-20	TR	YELLOW	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212310585	QUICK NMY	12.00-20	8.00-20	TR	WHITE	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212310590	NORMAL	12.00-20	8.50-20	TR	WHITE	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212310456	NORMAL	12.00-20	8.00-20	TR	GREY	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212310458	QUICK	12.00-20	8.50-20	TR	GREY	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212310658	QUICK	12.00-20	8.00-20	TR	YELLOW	226.48	498.27	42.91	11.14	1090	283	88	7560	6300	
3212310662	NORMAL NMW	12.00-20	8.50-20	TR	YELLOW	227.48	500.45	42.91	11.14	1090	283	88	7560	6300	
3212410180	NORMAL NMW	465/55-20	16.00-20	TR	BLACK	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318368	QUICK NMW	465/55-20	16.00-20	TR	WHITE	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318372	QUICK NMW	465/55-20	16.00-20	TR	GREY	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318374	NORMAL NMG	465/55-20	16.00-20	TR	YELLOW	330.79	727.73	40.24	18.19	1022	462	77	10800	9000	
3212410185		12.00-24	8.50-24	TR	BLACK	254.20	559.24	46.66	11.10	1185	282	100	8040	6700	
3212318376		12.00-24	8.50-24	TR	WHITE	254.20	559.24	46.66	11.10	1185	282	100	8040	6700	
3212318378		12.00-24	8.50-24	TR	GREY	254.20	559.24	46.66	11.10	1185	282	100	8040	6700	
3212318382		12.00-24	8.50-24	TR	YELLOW	255.29	561.64	46.66	11.10	1185	282	100	8040	6700	

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW

